

Technical Requirements

# Voce Danzante con Respiro



## Group

The concert is for solo voice and live electronics and lasts between 45 minutes and 1 hour.

## Requirements

The concert cannot be performed in big churches. It is ideal for small chapels, auditoriums, and other rooms as well as for the outside.

A well-protected adjacent room is needed, where the voice can be warmed up without disturbing and without being disturbed.

Non-carbonated water and glasses.

## Sound

The concert can only take place when it is amplified.

I will bring and install the following equipment:

Bayer Dynamics microphone and an effectmachine with pedal

1 Schertler monitor

2 speakers for a total of 500 Watt

## Lights

The concert requires no complicated light show, however some lighting is needed.

Where possible I ask for 2/4 coloured lights: yellow/orange and blue/green.

Neon lights must be avoided.

## Stage Area

2 meters wide and 2 meters deep.

## Stage Set-up, Sound Check and Rehearsal

2.30 hours

## Dismantling of stage

1 hour

## Miscellaneous

## Info

Oskar Boldre, via palestro 3, I-21030 Casalzuigno (VA)

Tel/Fax +39 (0)332 624004

cell. +39 (0)338 8965838 (from Italy)

cell. +41 (0)76 433 68 38 (from other countries)

oskarboldre@tiscali.it